
Off the wall music

Beosound Shape is a wall-mounted wireless speaker system for design conscious music lovers – delivering immersive sound staging, a customizable design and integrated noise dampers for improved room acoustics.

Based on a modular tile concept,
Beosound Shape is designed to provide
ultimate creative freedom. Each tile serves
a function as either speaker, amplifier
or acoustic damper and can be pieced
together in endless combinations.

Living room, hotel lobby or restaurant – whatever the setting, we will let you define the size, colours and even the sound performance to match.



Why you'll love it



M Built in noise-dampers


Stream via Wi-Fi and Bluetooth


Band on the wall

Built for multiroom music experiences



Product Dimensions





Basic

PRODUCT DIMENSIONS ($W \ X \ H \ X \ D$)

36.4 x 32 x 11.1 cm

WEIGHT

15 kg (8 tiles setup)

PLACEMENT

Wall

RECOMMENDED ROOM SIZE

20-100 m² / 200-1000 ft²

SYSTEM DIMENSIONS

Tile with fabric and star rail mounting system: 36.4 x 32.0 x 11.1

The star rail system makes a 6 mm air gap between cabinet and wall

SYSTEMS MAXIMUMS

Maximum amplifier tiles: 10 Maximum speaker tiles: 40 Acoustic damper tiles: unlimited

Amplifier tile

WEIGHT

2.0 kg + 0.4 kg (fabric cover)

POWER AMPLIFIERS

8 x 80 Watt (Class D)

MAXIMUM SPEAKERS PER AMPLIFIER

4

CABINET COLOR

Black

CONNECTIONS

4 x Speaker 4-Wire Output

· 1 x Optical-In

1 x Power Link (RJ45)

· 1 x Comm In (Amplifier Input)

· 1 x Comm Out (Amplifier Output)

· 1x USB-B

· 1 x Power



Beosound Shape SPECIFICATIONS

Speaker tile WEIGHT CONNECTIONS 1.9 kg + 0.4 kg (fabric cover) 1 x Speaker 4-wire input CABINET PRINCIPLE SPEAKER DRIVERS Woofer 51/4" Closed box Tweeter 3/4" CABINET COLOR Black Acoustic damper tile Note: Acoustic damper tiles can also be 0.51 kg + 0.4 kg (fabric cover) used as empty tiles to hide, for example, cables, power strips, or power adapters. You just need to remove the damping material. CABINET COLOR Black **Technical REMOTE CONTROL** MAXIMUM SOUND

PRESSURE LEVEL @1M 105 dB (8 tiles setup)

BASS CAPABILITY @1M 89 dB (8 tiles setup)

FREQUENCY RANGE
30 - 22.000 Hz (8 tiles set up)

FEATURES

- Band on the wall
- Thermal Protection
- · Adaptive Bass Linearization

REMOTE CONTROL
Bang & Olufsen App
Beoremote Halo

Beoremote One

Beoconnect Core can be paired wirelessly with the Beoremote Halo or Beoremote One to complete the music listening experience.



Connectivity provided by Beoconnect Core

The Beoconnect Core connectivity hub (which connects to the COMM IN port of the Beosound Shape) provides the wireless streaming connectivity for Beosound Shape. Beoconnect Core fits into an empty tile using the Beoconnect Core Bracket.

BEOCONNECT CORE DIMENSIONS AND WEIGHT

 $16.2 \, \text{W} \times 4.6 \, \text{H} \times 12.2 \, \text{D} \, \text{cm}$ $0.75 \, \text{kg}$

SUPPORTED AUDIO FORMATS

PCM, MP3, WMA, AAC, ALAC, FLAC, WAV, AIFF, OGG, HLS
Standard sample rates up to 192
kHz, stereo and up to 24 bit
Note: WMA lossless is not supported.

Note: Signal processing upto 24Bit/48kHz.

STREAMING TECHNOLOGIES

- Apple AirPlay
- · Spotify Connect
- Google Cast¹
- · TIDAL Connect
- Bang & Olufsen Radio
- Deezer Connect
- · QPlay 2.0
- · HomeMedia
- · Beolink Multiroom

WIRELESS NETWORKS

Dual-Band Wi-Fi (2.4 & 5 GHz) IEEE 802.11 b/g/a/n/ac/ax and Bluetooth 5.3

CONNECTORS

- · 1 x Power
- · 1 x USB-C (Digital Performance Output)
- 1 x HDMI eARC (for TV-integration)
- · 1x Ethernet
- · 1 x COMM (for Beosound Shape)
- · 1 x Powerlink (Stereo)
- · 1 x Line-In

¹Google and Google Cast are trademarks of Google LLC. Google Assistant is not available in certain languages and countries.

Other information

DESIGNER

Øivind Alexander Slaatto



Fabric



Define Fabric by Kvadrat



Wood



 $\mathsf{Dark}\,\mathsf{Oak}$